# Mississippi Assessment Program Mathematics, Grades 3-8 Blueprint Interpretive Guide Eighth Grade Mathematics Blueprint

Standard	Performance Task (PT)	Closed- ended	Open- ended	Total #Items	Total #Pts.
The Number System (NS)	0	4–5	1–2	6	6
8.NS.1-Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	0	1–3	0–1	1–4	
<b>8.NS.2-</b> Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., $\pi^2$ ).	0	1–3	0–1	1–4	
Expressions and Equations (EE)	0	13–15	2–4	17	18
<b>8.EE.1-</b> Know and apply the properties of integer exponents to generate equivalent numerical expressions.	0	1–2	0–1	1–3	
<b>8.EE.2-</b> Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$ , where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	0	1–2	0–1	1–3	
<b>8.EE.3-</b> Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other.	0	1–2	0–1	1–3	
<b>8.EE.4-</b> Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.	0	1–2	0–1	1–3	
<b>8.EE.5-</b> Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways.	0	1–3	0–1	1–4	
<b>8.EE.6-</b> Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation y = mx for a line through the origin and the equation y = mx + b for a line intercepting the vertical axis at b.	0	1–3	0–1	1–4	

Mathematics, Grades 5-8 blueprint Interpretive Guide							
	Standard	Performance Task (PT)	Closed- ended	Open- ended	Total #Items	Total #Pts.	
<b>8.E</b> E	<b>E.7</b> -Solve linear equations in one variable.  Give examples of linear equations in one variable						
b.	with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$ , $a = a$ , or $a = b$ results (where a and b are different numbers). Solve linear equations and inequalities with rational number coefficients, including those whose solutions require expanding expressions using the distributive property and collecting like terms.	0	2–3	0–1	2–4		
line	E.8-Analyze and solve pairs of simultaneous ear equations.  Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.  Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection.  Solve real-world and mathematical problems leading to two linear equations in two variables.	0	2–3	0–1	2–4		
	nctions (F) nction notation is not required in Grade 8.	0	9–11	1–3	12	12	
to 6 fun inp	.1-Understand that a function is a rule that assigns each input exactly one output. The graph of a ction is the set of ordered pairs consisting of an ut and the corresponding output.	0	1–3	0–1	1–4		
rep gra des	.2-Compare properties of two functions each resented in a different way (algebraically, phically, numerically in tables, or by verbal scriptions).	0	1–3	0–1	1–4		
line	.3-Interpret the equation y = mx + b as defining a ear function, whose graph is a straight line; give amples of functions that are not linear.	0	1–3	0–1	1–4		
rela rate des inc Inte	A-Construct a function to model a linear ationship between two quantities. Determine the e of change and initial value of the function from a scription of a relationship or from two (x, y) values, luding reading these from a table or from a graph. Expret the rate of change and initial value of a ear function in terms of the situation it models, and the erms of its graph or a table of values.	0	1–3	0–1	1–4		

Mathematics, Grades 5-8 blueprint interpretive Guide						
Standard	Performance Task (PT)	Closed- ended	Open- ended	Total #Items	Total #Pts.	
<b>8.F.5</b> -Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	0	1–3	0–1	1–4		
Geometry (G)	0	13–15	2–4	17	18	
<ul> <li>8.G.1-Verify experimentally the properties of rotations, reflections, and translations</li> <li>a. Lines are taken to lines, and line segments to line segments of the same length.</li> <li>b. Angles are taken to angles of the same measure.</li> <li>c. Parallel lines are taken to parallel lines.</li> </ul>	0	1–2	0–1	1–3		
<b>8.G.2</b> -Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	0	1–2	0–1	1–3		
<b>8.G.3</b> -Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	0	1–2	0–1	1–3		
8.G.4-Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	0	1–2	0–1	1–3		
<b>8.G.5</b> -Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles.	0	1–2	0–1	1–3		
<b>8.G.6</b> -Explain a proof of the Pythagorean Theorem and its converse.	0	1–2	0–1	1–3		
8.G.7-Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real world and mathematical problems in two and three dimensions.	0	1–2	0–1	1–3		
<b>8.G.8-</b> Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	0	1–2	0–1	1–3		
<b>8.G.9-</b> Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve realworld and mathematical problems.	0	1–2	0–1	1–3		

Standard	Performance Task (PT)	Closed- ended	Open- ended	Total #Items	Total #Pts.
Statistics and Probability (SP)	0	4–5	1–2	6	6
<b>8.SP.1-</b> Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	0	0–2	0–1	0–3	
<b>8.SP.2-</b> Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	0	0–2	0–1	0–3	
<b>8.SP.3-</b> Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept.	0	0–2	0–1	0–3	
8.SP.4-Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables.	0	0–2	0–1	0–3	

Standard	Performance Task (PT)	Closed- ended	Open- ended	Total #Items	Total #Pts.
Transformations in the Coordinate Plane	1	0	0	1	12
<ul> <li>8.G.1-Verify experimentally the properties of rotations, reflections, and translations</li> <li>a. Lines are taken to lines, and line segments to line segments of the same length.</li> <li>b. Angles are taken to angles of the same measure.</li> <li>c. Parallel lines are taken to parallel lines.</li> <li>8.G.2-Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.</li> <li>8.G.3-Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.*</li> </ul>	1	0	0	1	12

**Technical Note**: For the Grade Eight Mathematics performance task (Transformations in the coordinate plane), five (5) of the standards shall be used with one (1) performance task. The performance task is worth twelve (12) points towards the overall mathematics score. \*Dilations will not be assessed in the Eighth Grade performance task.